PERGO®

FOR PARTNERS & PROFESSIONALS

ORIGINAL LAMINATE
COLLECTION 2026



1. SUPERIOR WEAR AND SCRATCH RESISTANCE LAYER

2. EVERLASTING DECOR

3. HIGH-PERFORMING HDF CORE

4. BACK STABILISER

32 CLASS

SUPERIOR DURABILITY
For all-round domestic use and medium commercial use. Up to lifetime warranty*.

33 CLASS

PRO: OUTSTANDING DURABILITY
For areas with heavy commercial use. Lifetime warranty*.

34 CLASS

UPON REQUEST
PRO X: EXTREME DURABILITY
For areas with very heavy commercial use. Lifetime warranty*.

FEATURES		CLASS 32	CLASS 33	CLASS 34
TITANX™		•	•	•
SCRATCH RESISTANT		•	•	•
AQUASAFE TECHNOLOGY*		•	•	•
PERFECTFOLD™		•	•	
UNICLIC®		•	•	•
UNIZIP®		•		
ANTISTATIC		•	•	•
HYGIENIC		•	•	•
WOOD FROM SUSTAINABLY MANAGED FORESTS, PEFC CERTIFIED		•	•	•
ENVIRONMENTAL LABEL NORDIC ECOLABEL AND EU ECOLABEL		•	•	•
RESIDENTIAL WARRANTY**		up to lifetime	lifetime	lifetime
TECHNICALS	**STANDARD**			
CLASS OF USE	EN ISO 10874	32	33	34
FIRE CLASSIFICATION	EN 13501	Cfl-s1 (Bfl-s1: Lillehammer)	Cfl-s1 (Bfl-s1: Lillehammer Pro & Perstorp Pro)	Bfl-s1
FORMALDEHYDE EMISSION	EN 717-1	E0,5	E0,5	E0,5
VOC EMISSION	agBB/DIBt	•	•	•
WEAR RESISTANCE	EN 13329	AC4	AC5	AC6
IMPACT RESISTANCE	EN17368	small ball: ≥ 35 mm	small ball: ≥ 70 mm	small ball: ≥ 120 mm
	EN13329	big ball: ≥ 600 mm	big ball: ≥ 750 mm	big ball: ≥ 1600 mm
RESISTANCE TO CASTOR CHAIR (WITH UNDERLAY)	EN ISO 4918	no damage	no damage	no damage
SLIP RESISTANCE	EN 13893	class DS	class DS	class DS
THERMAL RESISTANCE	EN 12667	0,05 m^2 K/W 0,06 m^2 K/W (for laminate with thickness 9 and 9,5 mm)	0,05 m^2 K/W 0,06 m^2 K/W (for laminate with thickness 9 and 9,5 mm)	0,06 m^2 K/W
BODY VOLTAGE	EN 1815	≤ 2 kV (antistatic)	≤ 2 kV (antistatic)	≤ 2 kV (antistatic)

PERGO WARRANTY
The use of accessories other than genuine Pergo accessories can damage your Pergo floor. In this case, the warranty offered by Pergo will no longer be valid. We advise you to only use Pergo accessories that are specifically designed to use with Pergo floor panels.

* For full warranty conditions, go to pergo.com.
** If full installation instructions (please see pergo.com) are not followed, the warranty is void.

WHY PERGO LAMINATE FLOORS?

RESISTANT TO SCRATCHES & WEAR

HIGH RESISTANCE TO SCRATCHES AND WEAR
Every plank is covered with our patented TitanX™ protection. This gives the floor high resistance to scratches and wear.

AQUASAFE

WATERPROOF* AND EASY TO CLEAN
All our laminate floors have AquaSafe technology, which keeps your floor waterproof and simple to clean. The floors come with a wet warranty up to 15 years**.

NATURAL LOOK & FEEL

NATURAL LOOK & FEEL
All our laminate floors are incredibly true to nature in their design and structure. Additionally, the floor will maintain its color and will not fade over time.

EASY INSTALLATION

EASY TO INSTALL
Just click into place with the glueless PerfectFold™ or Uniclic® click system.

MATCHING ACCESSORIES

PERFECT FINISH
From faultless installation, to seamless finishing and worry-free maintenance of your beautiful new floor. Choose from the wide range of accessories.

LIFE TIME WARRANTY

UP TO LIFETIME WARRANTY**
All Pergo laminate floors come with an up to lifetime warranty, so that you can live life to the fullest, without worrying.

** Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.*
*** For full warranty conditions, go to pergo.com.*

RESISTANT TO SCRATCHES & WEAR

TITANX™ – TOUGH PER DEFAULT
Every plank of a Pergo laminate floor is covered with our patented TitanX™ technology, which means it has high resistance to wear and scratches.

This superior toplayer ensures those high traffic areas like kitchens, hallways and living rooms are well protected.

WATERPROOF

BECAUSE LIFE'S TOO SHORT
TO WORRY ABOUT WATER
All Pergo laminate floors have AquaSafe, our in-house developed technology that creates a sealed, waterproof* surface all the way down into the bevels, preventing water from penetrating the floor. It simply stands on the surface and you can easily wipe it away.

* Tested according to ISO 4760 (no leakage) and is not following EN13553 standards designed for welded resilient floor coverings.

NATURAL ON A WHOLE OTHER LEVEL

SENSATION FLOORS – SEE AND FEEL THE DIFFERENCE
With Pergo Sensation laminate (Odense, Lillehammer, Visby, Bergen, Kungshamn), you won't believe it's not real wood. It offers the look of nature with authentic shades and grains, combined with a deep tactile structure and a warm, matte finish.

- Deeper, more authentic structure
- Waterproof 4V Premium bevel with extra natural look
- Matte finish for a sophisticated feel

Deep, authentic, and tactile structure, finished with a matte surface.

4V PREMIUM BEVEL

The wood pattern on the floor extends into the bevels, creating a smooth, harmonious look.

4V OPTICAL BEVEL

The floor collections with an optical bevel (Drammen) create the illusion of a small bevel, an effect that appears either distinct or subtle depending on the viewing angle.

NO BEVEL

The floor collections without a bevel (Perstorp, Espoo) provide a smooth, continuous surface that is easy to clean.

OUR COLLECTIONS

Scandinavian never goes out of style. The same goes for functional design.
Our complete range of Pergo laminates delivers just that. Whether you want the high-quality feel of Odense's long planks, the natural look of Lillehammer or the minimalistic infinite look of Perstorp, there's a floor to fill your every need.

And all of them are designed to be durable and have a completely waterproof surface. These are the reasons why Pergo laminate floors have become true representatives of Scandinavian functional design. So your kitchen, hallway, bedroom or living room is a pleasure to come home to. Always.



ODENSE
2050 × 240 mm

NEW
LILLEHAMMER
1380 × 212 mm

UPDATE
VISBY
1380 × 190 mm

BERGEN
1380 × 156 mm

DRAMMEN
PERSTORP
ESPOO
1200 × 190 mm

NEW
KUNGSHAMN
655 × 131 mm

		UNIQUE PLANKS	SENSATION	AQUASAFE	BEVELS	WET WARRANTY	WARRANTY CLASS 32	WARRANTY CLASS 33
ODENSE	2050 × 240 × 9,5 mm	16 (7,87 m^2)	•	•	4	15 years	lifetime	lifetime
NEW LILLEHAMMER	1380 × 212 × 9 mm	18 (5,27 m^2)	•	•	4	15 years	lifetime	lifetime
UPDATE VISBY	1380 × 190 × 8 mm	20 (5,25 m^2)	•	•	4	15 years	lifetime	lifetime
NEW KUNGSHAMN	655 × 131 × 8 mm	56 (4,80m^2)	•	•	4	15 years	lifetime	
BERGEN	1380 × 156 × 8 mm	12 (2,58m^2)	•	•	4	15 years	lifetime	lifetime
DRAMMEN	1200 × 190 × 8 mm	10 (2,28m^2)		•	4	10 years	lifetime	
PERSTORP	1200 × 190 × 8 mm	10 (2,28m^2)		•	0	10 years	lifetime	lifetime
ESPOO	1200 × 190 × 7 mm	10 (2,28m^2)		•	0	10 years	20 years	

ODENSE

4V PREMIUM BEVEL

33 CLASS · 32 CLASS · V4 SENSATION · AQUASAFE · EASY TO INSTALL PERFECTFOLD · WET WARRANTY 15 YEARS · LIFE TIME WARRANTY

length	width	thickness	unique planks	panels / pack	m^2 / pack	pack / pallet	m^2 / pallet
2050 mm	240 mm	9,5 mm	16	6	2,952 m^2	33	97,416 m^2

CLAY OAK
- **PRO** L0263-06791
- L0363-06791

OATMEAL OAK
- **PRO** L0263-06792
- L0363-06792

MALT OAK
- **PRO** L0263-06793
- L0363-06793

CLOUDED OAK
- **PRO** L0263-06794
- L0363-06794

CLEAR OAK
- **PRO** L0263-06795
- L0363-06795

VIBRANT OAK
- **PRO** L0263-06796
- L0363-06796

DUSK OAK
- **PRO** L0263-06797
- L0363-06797

FOLK
- **PRO** L0263-06798
- L0363-06798



GLACIER OAK
- **PRO** L0263-06799
- L0363-06799

SOLSTICE OAK
- **PRO** L0263-06800
- L0363-06800

BEAUFORT OAK
- **PRO** L0263-06801
- L0363-06801

RUSTIC CHARM
- **PRO** L0263-06802
- L0363-06802

RUSTIC SMOKE
- **PRO** L0263-06803
- L0363-06803

ODENSE
MATCHING ACCESSORIES

MATCHING ACCESSORIES

STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO® PROFILE

COMMERCIAL EXPANSION PROFILE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x63-06791	06791	06791	06791	06791	PGKIT18B
L0x63-06792	06792	06792	06792	06792	PGKIT18B
L0x63-06793	06793	06793	06793	06793	PGKIT10B
L0x63-06794	06794	06794	06794	06794	PGKIT02B
L0x63-06795	06795	06795	06795	06795	PBKIT09B
L0x63-06796	06796	06796	06796	06796	PGKIT09B
L0x63-06797	06797	06797	06797	06797	PGKIT04B
L0x63-06798	06796	06796	06796	06796	PGKIT09B
L0x63-06799	06799	06799	06799	06799	PGKIT19B
L0x63-06800	06800	06800	06800	06800	PGKIT09B
L0x63-06801	06801	06801	06801	06801	PGKIT10B
L0x63-06802	06802	06802	06802	06802	PGKIT10B
L0x63-06803	06803	06803	06803	06803	PGKIT17B

INCIZO® SUBPROFILE | NEINCPBASE6 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

NEW

LILLEHAMMER

4V PREMIUM BEVEL

length	width	thickness	unique planks	panels / pack	m^2 / pack	pack / pallet	m^2 / pallet
1380 mm	212 mm	9 mm	18	7	2,048 m^2	52	106,500 m^2

HAZELWOOD OAK*
- **PRO** L0274-08303
- L0374-08303

IVORY OAK*
- **PRO** L0274-08304
- L0374-08304

SILK OAK*
- **PRO** L0274-08305
- L0374-08305

CHESTNUT GLOW OAK
- **PRO** L0274-08306
- L0374-08306

BRONZE OAK
- L0374-08307

AMBERGRAIN OAK
- **PRO** L0274-08308
- L0374-08308

HARVEST OAK
- L0374-08309

AUBURN OAK
- **PRO** L0274-08310
- L0374-08310

* The following 3 references are a 100% match to the Kungshamn references:
L0x44-08303 → L0372-08244
L0x44-08304 → L0372-08246
L0x44-08305 → L0372-08248

LILLEHAMMER MATCHING ACCESSORIES

STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO® PROFILE

COMMERCIAL EXPANSION PROFILE

STAIR COVER - BULLNOSE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGSTRBLIL(-) 1200 × 135 × 59 mm	PGKIT(-)B 310 ml
L0x74-08303	08256	08256	08256	08256	08303	PGKIT10B
L0x74-08304	08246	08246	08246	08246	08304	PGKIT02B
L0x74-08305	08305	08305	08305	08305	08305	PGKIT02B
L0x74-08306	08306	08306	08306	08306	08306	PGKIT09B
L0374-08307	08307	08307	08307	08307	08307	PGKIT15B
L0x74-08308	08308	08308	08308	08308	08308	PGKIT02B
L0374-08309	08309	08309	08309	08309	08309	PGKIT09B
L0x74-08310	08310	08310	08310	08310	08310	PGKIT04B

INCIZO® SUBPROFILE | NEINCPBASE11 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

UPDATE

VISBY

4V PREMIUM BEVEL

length	width	thickness	unique planks	panels / pack	m^2 / pack	pack / pallet	m^2 / pallet
1380 mm	190 mm	8 mm	20	7	1,835 m^2	60	110,100 m^2

NEW ENGLAND OAK
- **PRO** L0271-03369
- L0371-03369

FARMHOUSE OAK
- **PRO** L0271-03371
- L0371-03371

COASTAL OAK
- **PRO** L0271-03374
- L0371-03374

MIDSUMMER LIGHT OAK
- L0371-08295

SUNWASH OAK
- **PRO** L0271-08296
- L0371-08296

AMBERLIGHT OAK
- L0371-08297

DRIFTWOOD BROWN OAK
- L0371-08298

CLAYSTONE OAK
- L0371-08299

SMOKEWOOD OAK
- **PRO** L0271-08300
- L0371-08300

SAND DRIFT OAK
- **PRO** L0271-08301
- L0371-08301

BLUSH OAK
- L0371-08302

LINEN GREY OAK
- L0371-08474

VISBY
MATCHING ACCESSORIES

STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO® PROFILE

COMMERCIAL EXPANSION PROFILE

STAIR COVER - BULLNOSE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGSTRBVIS(-) 1330 × 113 × 59 mm	PGKIT(-)B 310 ml
L0x71-03369	03369	03369	03369	03369	03369	PGKIT18B
L0x71-03371	03371	03371	03371	03371	03371	PGKIT15B
L0x71-03374	03374	03374	03374	03374	03374	PGKIT02B
L0371-08295	08295	08295	08295	08295	08295	PGKIT02B
L0x71-08296	08296	08296	08296	08296	08296	PGKIT02B
L0371-08297	08297	08297	08297	08297	08297	PGKIT09B
L0371-08298	08298	08298	08298	08298	08298	PGKIT10B
L0371-08299	08299	08299	08299	08299	08299	PGKIT02B
L0x71-08300	08300	08300	08300	08300	08300	PGKIT09B
L0x71-08301	08301	08301	08301	08301	08301	PGKIT02B
L0371-08302	08302	08302	08302	08302	08302	PGKIT10B
L0371-08474	08474	08474	08474	08474	08474	PGKIT18B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

NEW

KUNGSHAMN

4V PREMIUM BEVEL

length	width	thickness	unique planks	panels / pack	m^2 / pack	pack / pallet	m^2 / pallet
655 mm	131 mm	8 mm	56	14	1,201 m^2	84	100,884 m^2

HAZELWOOD OAK*
● L0372-08244

IVORY OAK*
● L0372-08246

SILK OAK*
● L0372-08248

HERITAGE OAK
● L0372-08249

CRAFT OAK
● L0372-08250

SMOKED AMBER OAK
● L0372-08251

* The following 3 references are a 100% match to the Lillehammer references:
L0372-08244 → L0x44-08303
L0372-08246 → L0x44-08304
L0372-08248 → L0x44-08305

KUNGSHAMN
MATCHING ACCESSORIES

STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO® PROFILE

COMMERCIAL EXPANSION PROFILE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0372-08244	08256	08256	08256	08256	PGKIT10B
L0372-08246	08246	08246	08246	08246	PGKIT02B
L0372-08248	08305	08305	08305	08305	PGKIT09B
L0372-08249	08249	08249	08249	08249	PGKIT09B
L0372-08250	08250	08250	08250	08250	PGKIT04B
L0372-08251	08251	08251	08251	08251	PGKIT10B

BERGEN

4V PREMIUM BEVEL

length	width	thickness	unique planks	panels / pack	m^2 / pack	pack / pallet	m^2 / pallet
1380 mm	156 mm	8 mm	12	8	1,722 m^2	60	103,320 m^2

COMFORT GREY OAK
- **PRO** L0246-05007
- L0346-05007

RAILWAY OAK
- **PRO** L0246-05008
- L0346-05008

COLOGNE OAK
- **PRO** L0246-05009
- L0346-05009

PIER OAK
- **PRO** L0246-05010
- L0346-05010

VIENNA OAK
- **PRO** L0246-05011
- L0346-05011

PORTMAN WALNUT
- **PRO** L0246-05012
- L0346-05012

RED CLAY TEAK
- **PRO** L0246-05021
- L0346-05021

TROMSDALEN OAK
- **PRO** L0246-05022
- L0346-05022

BERGEN
MATCHING ACCESSORIES

STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO® PROFILE

COMMERCIAL EXPANSION PROFILE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x46-05007	05007	05007	05007	05007	PGKIT16B
L0x46-05008	05008	05008	05008	05008	PGKIT10B
L0x46-05009	05009	05009	05009	05009	PGKIT04B
L0x46-05010	05010	05010	05010	05010	PGKIT09B
L0x46-05011	05011	05011	05011	05011	PGKIT09B
L0x46-05012	05012	05012	05012	05012	PGKIT15B
L0x46-05021	05021	05021	05021	05021	PGKIT14B
L0x46-05022	05022	05022	05022	05022	PGKIT02B

INCIZO® SUBPROFILE | NEINCPBASE8 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

DRAMMEN

4V OPTICAL BEVEL

length	width	thickness	unique planks	panels / pack	m^2 / pack	pack / pallet	m^2 / pallet
1200 mm	190 mm	8 mm	10	7	1,596 m^2	64	102,144 m^2

BROWN LEATHERED OAK
● L0348-05013

SANDWAVE OAK
● L0348-05014

WHITE GLOOM OAK
● L0348-05015

ISLA OAK
● L0348-05016

RICARD OAK
● L0348-05017

CAPPUCCINO OAK
● L0348-05018

CORNWALL OAK
● L0348-05019

DARTMOOR OAK
● L0348-05020

DRAMMEN
MATCHING ACCESSORIES

STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO® PROFILE

COMMERCIAL EXPANSION PROFILE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0348-05013	05013	05013	05013	05013	PGKIT17B
L0348-05014	05014	05014	05014	05014	PGKIT09B
L0348-05015	05015	05015	05015	05015	PGKIT01B
L0348-05016	05016	05016	05016	05016	PGKIT18B
L0348-05017	05017	05017	05017	05017	PGKIT10B
L0348-05018	05018	05018	05018	05018	PGKIT04B
L0348-05019	05019	05019	05019	05019	PGKIT10B
L0348-05020	05020	05020	05020	05020	PGKIT16B

INCIZO® SUBPROFILE | NEINCPBASE9 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

PERSTORP

NO BEVEL

length	width	thickness	unique planks	panels / pack	m^2 / pack	pack / pallet	m^2 / pallet
1200 mm	190 mm	8 mm	10	7	1,596 m^2	48	76,608 m^2

NATURAL OAK
- **PRO** L0270-01804
- L0370-01804

NATURAL HONEY OAK
- L0370-04085

BEIGE SAND OAK
- **PRO** L0270-04093
- L0370-04093

NATURAL BEIGE OAK
- L0370-04390

WARM NATURAL OAK
- **PRO** L0270-04394
- L0370-04394

VINEYARD OAK
- L0370-05023

PERSTORP
MATCHING ACCESSORIES

STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO® PROFILE

COMMERCIAL EXPANSION PROFILE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0x70-01804	01731	01731	01731	01731	PGKIT04B
L0370-04085	04085	04085	04085	04085	PGKIT10B
L0x70-04093	04093	04093	04093	04093	PGKIT02B
L0370-04390	04390	04390	04390	04390	PGKIT10B
L0x70-04394	04394	04394	04394	04394	PGKIT09B
L0370-05023	05023	05023	05023	05023	PGKIT09B

INCIZO® SUBPROFILE | NEINCPBASE2 | 2150 × 71 × 20 mm
The Incizo® subprofile is required for stair application and has to be ordered separately.

ESPOO

NO BEVEL

length	width	thickness	unique planks	panels / pack	m^2 / pack	pack / pallet	m^2 / pallet
1200 mm	190 mm	7 mm	10	8	1,824 m^2	64	116,736 m^2

RIVER OAK
● L0364-04389

NATURAL BEIGE OAK
● L0364-04390

WARM NATURAL OAK
● L0364-04394

WATERFRONT OAK
● L0364-04395

ESPOO
MATCHING ACCESSORIES

STANDARD SKIRTING

PARQUET SKIRTING

5-IN-1 INCIZO® PROFILE

COMMERCIAL EXPANSION PROFILE

COLOURED SEALANT

ART. NO DIMENSIONS	PGSK(-) 2400 × 12 × 58 mm	PGPSK(-) 2400 × 14 × 77 mm	PGINCP(-) 2150 × 13 × 48 mm	PGEXPC(-) 2350 × 50 × 9,5 mm	PGKIT(-)B 310 ml
L0364-04389	04389	04389	04389	04389	PGKIT18B
L0364-04390	04390	04390	04390	04390	PGKIT10B
L0364-04394	04394	04394	04394	04394	PGKIT09B
L0364-04395	04395	04395	04395	04395	PGKIT16B

INCIZO® SUBPROFILE | NEINCPBASE1 | 2150 × 71 × 20 mm
The Inciza® subprofile is required for stair application and has to be ordered separately.

YOUR FLOOR – FINISHED IN STYLE

Choose from our wide range of accessories to give your interior that perfectly finished look. From seamless transitions to stairs or walls, silent underlays to improve your comfort or a skirting that finishes off the room in style. Details make perfection.

1. UNDERLAYS
Make a great floor greater. Underlays increase walking comfort, improve your room's acoustics, avoid creaking noises, support the click system and protect floors from rising moisture and rising damp. They can be combined with underfloor heating or cooling too.

2. SKIRTINGS
Finish the look with colour matching skirtings, or complete your interior style with one of the many paintable white shapes.

3. PROFILES
Hide those saw cuts and give your floor room to expand with profiles. Create a smooth transition with the colour matched Incizo® profile.

ALL YOU NEED TO INSTALL, FINISH AND MAINTAIN YOUR FLOOR
A laminate floor is more than the planks you walk on. It's a complete home decor solution. That's why Pergo also offers a full line of accessories. Everything you need for trouble-free installation, finishing and maintenance.

INSTALLATION

UNDERLAYS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	FOAM UNDERLAY for wood subfloors PGUDLFOAM15B 15 m² / roll	15800	950	2	1	195	195	950	24
	FOAM+ UNDERLAY for concrete subfloors PGUDLFOAMPLUS15 15 m² / roll	15960	940	2	1	210	210	940	20
	SMART UNDERLAY for wood subfloors PGUDLSMART15 15 m² / pack	15000	1000	3	1	1000	250	180	18
	SMART+ UNDERLAY for concrete subfloors PGUDLSMARTPLUS15 15 m² / pack	15000	1000	3	1	1000	250	180	18
	SILENT WALK UNDERLAY for wood & concrete subfloors PGUDLSW7 7 m² / roll	7000	1000	2	1	190	190	1000	40
	PROFESSIONAL SOUNDBLOC PGUDLPS15 15 m² / roll	15790	950	2	1	240	240	940	20
	PGUDLPS50 50 m² / roll	52640	940	2	1	420	420	940	6

INSTALLATION

INSTALLATION TOOLS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	ADHESIVE TAPE NETAPE50	5000	50	0,5	96	310	290	290	960
	**INSTALLATION SET** PGTOOLA	395	100	47	10	415	330	120	48

COMMERCIAL INSTALLATION TOOLS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	PROFESSIONAL PULLBAR PGWPULLBAR Professional and silent pullbar thanks to the rubber shock absorber on the contact surface.	700	280	230	1	575	375	140	120
	PROFESSIONAL TAPPING BLOCK PGWTAPPINGBLOCK Professional tapping block that distributes the tapping force equally to protect your plank.	520	110	62	10	200	200	60	480

FINISHING

SKIRTINGS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	COLOUR MATCHED STANDARD SKIRTING PGSK(-)	2400	12	58	6	2410	65	61	720
	COLOUR MATCHED PARQUET SKIRTING PGPSK(-)	2400	14	77	6	2410	84	77	432
	PAINTABLE STANDARD SKIRTING PGSKPAINTA	2400	12	58	6	2405	60	65	720
	PAINTABLE PARQUET SKIRTING PGPSKPAINTA	2400	14	77	6	2410	84	77	432
	PAINTABLE SCOTIA PGSCOTPAINTA	2400	17	17	6	2440	54	54	894

FINISHING

SKIRTINGS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	PAINTABLE COVER SKIRTING PGISKRCOVER	2400	16	129	6	2410	56	139	264
	PAINTABLE WATERPROOF MEDIUM SKIRTING PGHSK58PAINT	2400	13	58	6	2400	80	60	540
	PAINTABLE WATERPROOF LARGE SKIRTING PGHSK80PAINT	2400	15	80	6	2400	80	90	432
	CLICKABLE WHITE SMALL SKIRTING								
	SFSKCLICKWHITE126	1260	12	50	6	1291	73	57	360
	SFSKCLICKWHITE240	2400	12	50	6	2431	73	57	360
	CLICKABLE PAINT SMALL SKIRTING								
	SFSKCLICKPAINT126	1260	12	50	6	1291	73	57	360
	SFSKCLICKPAINT240	2400	12	50	6	2431	73	57	360
	CLICKABLE WHITE MEDIUM SKIRTING								
	SFPSKCLICKWHITE126	1260	12	70	6	1291	72	89	288
	SFPSKCLICKWHITE240	2400	12	70	6	2431	72	89	288

FINISHING

SKIRTINGS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	CLICKABLE PAINT MEDIUM SKIRTING								
	SFPSKCLICKPAINT126	1260	12	70	6	1291	72	89	288
	SFPSKCLICKPAINT240	2400	12	70	6	2431	72	89	288
	CLICKABLE WHITE LARGE SKIRTING								
	SFTSKCLICKWHITE126	1260	14	100	6	1291	79	107	252
	SFTSKCLICKWHITE240	2400	14	100	6	2431	79	107	252
	CLICKABLE PAINT LARGE SKIRTING								
	SFTSKCLICKPAINT126	1260	14	100	6	1291	79	107	252
	SFTSKCLICKPAINT240	2400	14	100	6	2431	79	107	252

INSTALLATION TOOLS FOR SKIRTINGS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	MULTIGLUE PGGLUE290 290 ml	50	50	230	12	213	160	240	1200

FINISHING

PROFILES

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	INCIZO® PROFILE PGINCP(-)	2150	48	13	1	2250	69	27	266
	INCIZO® ALUMINIUM SUBPROFILE FOR STAIRS NEINCPBASE2 (8 mm floors) NEINCPBASE6 (9,5 mm floors) NEINCPBASE8 (8 mm floors) NEINCPBASE11 (9 mm floors)	2150	71	21	1	2160	74	22	234
	MULTIFUNCTIONAL PROFILE SILVER PGPRSILV	1860	47	16	1	1860	60	16	340

COMMERCIAL PROFILES

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	COMMERCIAL EXPANSION PROFILE COLOUR MATCHED PGEXPC(-) From laminate to laminate. Easy installation with snap-in function. Min. order quantity 30 pcs, order per 5 pcs	2350	50	9,5	5	2365	80	70	225

FINISHING

METAL PROFILES

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
 	ADAPTER PROFILE **SILVER** SFADPSILV **COFFEE** SFADPCOFF **CLAY** SFADPCLAY **CHAMPAGNE** SFADPCHAM **BLACK** SFADPBLACK	2000	40	10	10	2102	142	52	400
 	EXPANSION PROFILE **SILVER** SFEXPSILV **COFFEE** SFEXPCOFF **CLAY** SFEXPCLAY **CHAMPAGNE** SFEXPCHAM **BLACK** SFEXPBLACK	2000	31	10	10	2102	142	52	400
 	END PROFILE **SILVER** SFENPSILV **COFFEE** SFENPCOFF **CLAY** SFENPCLAY **CHAMPAGNE** SFENPCHAM **BLACK** SFENPBLACK	2000	21	10	10	2102	142	52	400

FINISHING

STAIR COVER

	PIECE length mm	PIECE width mm	PIECE height mm	PACK pc / pack	PACK length mm	PACK width mm	PACK height mm	PALLET pc / pallet
LILLEHAMMER								
PGSTRBLIL(-)	1200	135	59	2	1212	143	72	50
VISBY								
PGSTRBVIS(-)	1330	113	59	2	1341	120	72	60

LILLEHAMMER

COLOUR-MATCHED RISERS INSTALLATION

NUMBERS OF STEPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PACKAGES STAIRCOVERS **PGSTRBLIL(-)**	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
NUMBER OF FLOOR PLANKS	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
PACKAGES FLOOR PLANKS **L0x74-xxxxx**	1	1	1	2	2	2	2	3	3	3	4	4	4	4	5	5

WHITE/PAINTED RISERS INSTALLATION

NUMBERS OF STEPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PACKAGES STAIRCOVERS **PGSTRBLIL(-)**	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
NUMBER OF FLOOR PLANKS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PACKAGES FLOOR PLANKS **L0x74-xxxxx**	1	1	1	1	1	1	1	2	2	2	2	2	2	2	3	3

VISBY

COLOUR-MATCHED RISERS INSTALLATION

NUMBERS OF STEPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PACKAGES STAIRCOVERS **PGSTRBVIS(-)**	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
NUMBER OF FLOOR PLANKS	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
PACKAGES FLOOR PLANKS **L0x71-xxxxx**	1	1	1	2	2	2	2	3	3	3	4	4	4	4	5	5

WHITE/PAINTED RISERS INSTALLATION

NUMBERS OF STEPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PACKAGES STAIRCOVERS **PGSTRBVIS(-)**	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
NUMBER OF FLOOR PLANKS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PACKAGES FLOOR PLANKS **L0x71-xxxxx**	1	1	1	1	1	1	1	2	2	2	2	2	2	2	3	3

NEW LAMINATE STAIR COVERS - THE FAST, EASY UPGRADE OF YOUR STAIRS

Upgrade your staircase effortlessly with our Laminate Stair Covers. This solution is perfect for renovating the stairs yourself. The covers are designed to be placed directly on top of your existing steps, making them an ideal choice for those who want to upgrade their stairs without a full renovation. You also have the possibility to seamlessly match with your staircase with your floor.

LAMINATE STAIR COVERS
Laminate Stair Covers are designed to be placed directly on top of your existing steps. They are scratch, wear, and water resistant, which make them perfect for active households, providing both durability and easy cleaning.

And thanks to the simple installation, it's an efficient way to renovate your staircase.
Available for Lillehammer and Visby ranges:

LILLEHAMMER: PGSTRBLIL(-)
VISBY: PGSTRBVIS(-)

For full article number, and to calculate how much of the product you need, go to pergo.com

QUICK AND EASY INSTALLATION
The covers are designed to be placed directly on top of your existing steps. And they are really fast and easy to install with Multiglue.

COLOUR MATCHED FINISH
Use the same decor on your Stair Cover as on your floor to give your home that seamless look. Thanks to the stair cover being produced from real floor planks, the colour matches perfectly.

SCRATCH AND WEAR RESISTANT
Stairs that will keep looking good for years and years to come. Thanks to the Stair Covers being produced from real laminate planks, they have the same high resistance to scratch and wear.

2 INSTALLATION OPTIONS

MATCHING RISERS INSTALLATION
Gives your stair a seemless look from top to bottom.

PAINTED RISERS INSTALLATION
Install just the treads and paint the rest in the same colour as the wall.

FINISHING

FINISHING TOOLS

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	COLOURED SEALANT PGKIT(-)B 310 ml	50	50	230	12	213	160	240	1200
	PIPE COVERS PGPCINOX18 18 mm | 1 pc: 2 pipe covers	75	20	140	15	240	165	130	510
	PGPCINOX22 22 mm | 1 pc: 2 pipe covers	75	20	140	15	240	165	130	510

TOOLS FOR A WATERTIGHT FINISH

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	FOAMSTRIP NEFOAMSTRIP20 20 × 1 m × Ø 10 mm	300	310	75	1	300	310	75	125
	AQUA SEALANT PGKITTRANSP 310 ml	50	50	230	12	213	160	240	1200
	HYDROSTRIP FOR SKIRTINGS NEHSTRIPSK15 (for standard skirtings)	15000	5	5	18	793	268	332	216
	NEHSTRIPSCOTPSK15 (for scotia & parquet skirtings) 15 m	15000	8	5	18	793	268	332	216

MAINTENANCE

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	FLOOR CLEANER 1 L PGCLEANECO1000	90	76	270	6	280	165	290	342
	SPOT CLEANER 250 ML PGSPOTCLEAN	50	50	200	20	260	210	210	1200
	CLEANING KIT PGSPRAYKIT	665	170	105	4	685	350	225	48
	CLEANING MOP PGSPRAYMOP	430	145	8	6	430	152	70	804
	REPAIR KIT PGREPAIR	290	125	28	12	370	250	150	648

QUICKHEAT

		PIECE			PACK				PALLET
		length mm	width mm	height mm	pc / pack	length mm	width mm	height mm	pc / pallet
	PE FILM NEUDLSCREEN34 33,75 m² / roll	1350	150	0,2	1	150	250	2700	60
	**QUICKHEAT FOIL**								
	NEUDLQH100X300	3000	1000	0,35	1	1040	125	125	114
	NEUDLQH100X500	5000	1000	0,35	1	1040	125	125	114
	NEUDLQH100X700	7000	1000	0,35	1	1040	125	125	114
	**QUICKHEAT FOIL**								
	NEUDLQH120X300	3000	1200	0,35	1	1240	130	130	114
	NEUDLQH120X500	5000	1200	0,35	1	1240	130	130	114
	NEUDLQH120X700	7000	1200	0,35	1	1240	130	130	114
	**QUICKHEAT INSULATION PLATES**								
	NEUDLQHPLATE 120 × 50 cm 1 pc: 10 plates	1200	500	7	1	1200	500	70	30
	QUICKHEAT CONTROLLER KIT WIRELESS NEQHKITWIFI	120	100	35	1	165	55	190	40
	QUICKHEAT EXTENSION CABLE								
	NEQHEXTCAB100 1 m	1000	170	15	1	315	190	20	75
	NEQHEXTCAB300 3 m	3000	170	15	1	315	190	20	75

QUICKHEAT

INSTALLATION IN 5 EASY STEPS

planner.pergo.com

1 Prepare for the installation by using our planner tool to make a plan for your project.

2 Install the QuickHeat multi-layered system.

3 Connect / click the foils together.

4 Mount the controller and connect with heating foil.

5 Insert the controller power plug in the wall socket.

HOPEFULLY, WE WON'T SEE YOU AGAIN FOR A LIFETIME

It's not that we don't love or appreciate you, as we very much do. It's just that for greater sustainability, we all need to buy less and demand more of the products we use. Our floors are crafted to endure – from the moment they're installed into your home, for a lifetime.

BUY FOR A LIFETIME
We are so confident in the durability of our floors that they come with a lifetime warranty*. Which is good for both you and the environment.

CHOOSE ECO-CERTIFIED
All our laminate floors are certified with the prestigious EU Ecolabel and Nordic Swan Ecolabel. Actually, we were the first ever to be awarded the latter for a floor – all the way back in 1995.

JOIN OUR LOVE OF WASTE
We make the core of our laminate floor out of recovered wood. We've also developed a technique to recycle HDF boards at the end of their life, making our laminate floors fully recyclable. Just like all our floors.

3029 0001

ÉMISSIONS DANS L'AIR INTÉRIEUR A+ A B C

Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).

WE PUT WASTE IN OUR FLOORS
We really, really dislike wasting resources, which is why the HDF (High Density Fibreboard) in your breathtakingly beautiful Pergo laminate floors are made from recovered wood. A waste product we get from sawmills, roadside maintenance, and similar sources. We are also the first in the world to be able to recycle HDF boards, making our laminate floors fully recyclable.

TOUGH FLOORS FOR ROUGH PLAY
Pergo laminate floors are designed for a lifetime of use – and are literally ready for whatever life, or the kids, throws at them. We make our floors tough and hardwearing for two reasons. First, we don't want you to have to worry about your floor keeping up with you and your family. Secondly, products with an extended lifespan have a reduced impact on our planet's resources.

LIFETIME WARRANTY*
As if the incredible durability of a Pergo floor wouldn't be enough – each floor also comes with a lifetime warranty. Yes, that's quite amazing. We want you to rest assured that your Pergo floor will stand by you, no matter what life brings. While also reducing our environmental footprint, as the floor's lifespan extends way beyond the ordinary. Directly contributing to less consumption and waste and paving the way to a more sustainable future.

LIFE TIME WARRANTY

* For full warranty conditions visit pergo.com

3029 0001

PERGO®

Floors for real life

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. With reservation for errors. Contents © 2023-2024 by Unilin bv – division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. For consumer questions and retailers visit pergo.com.

Pergo is a quality product produced by UNILIN BV, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium

a brand of UNILIN